

Certificate of Conformity of Factory Production Control

This certificate is issued to:

Manufacturer: TALLERES J.M. LÓPEZ, S.L.
C/ Mies de San Juan, 26, Pol. Ind. de Parayas
39600 Maliaño (Cantabria)

In compliance with *Regulation 305/2011/EU of the European Parliament and of the Council of 9 March 2011* (the Construction Products Regulation or CPR), this certificate applies to the construction product:

Execution of steel structural components

This certificate attests that all provisions concerning the assessment and verification of constancy of performance and the performances described in Annex ZA of the standard(s)

EN 1090-1:2009 + A1:2011 Execution of steel structures and aluminium structures – Part 1: Requirements for conformity assessment of structural components

under system 2+, are applied and that the factory production control is assessed to be in conformity with the applicable requirements.

The attached Schedule, of the same date, details the manufacturing location(s), harmonised product standard and product parameters and shall form a part of this certificate.

This Certificate will remain valid as long as the test methods and/or factory production control requirements included in the harmonised standard, used to assess the performance of the declared characteristics, do not change, and the product, and the manufacturing conditions in the plant are not modified significantly.

Certificate No: 0094/CPR/MAD/20140076 ENG

Original Approval: 31 December 2020

Current Certificate: 04 May 2021

Expiry Date: 10 May 2024

LRE número de Organismo Notificado 0094



Fermín Espallargas – LRE Decision Maker

Certificate of Conformity of Factory Production Control No.: 0094/CPR/ MAD/20140076 ENG Schedule

Manufacturer: TALLERES J.M. LÓPEZ, S.L.
C/ Mies de San Juan, 26, Pol. Ind. de Parayas
39600 Maliaño (Cantabria)

Manufacturing plan (s)	C/ Mies de San Juan, 26, Pol. Ind. de Parayas 39600 Maliaño (Cantabria)	
Product	Product standard (s)	
Execution of steel structural components	EN 1090-1:2009+A1:2011 EN 1090-2:2018	
Range of production		
Cold and thermal cutting, holing/drilling, corrosion protection and welding		
Exclusions		
Design and mechanical fastening		
Parent material group (ISO/TR 15608):	Welding process (ISO 4063)	
Group(s): 1.1 & 1.2 (Yield Strength $\leq 355 \text{N/mm}^2$)	135, 111, 141	
Thickness: $\leq 20 \text{ mm}$		
CE marking method: 3a	Execution class:	EXC3

Schedule Issue: 02

Date of Schedule Issue: 04 May 2021

LRE número de Organismo Notificado 0094



Fermin Espallargas – LRE Decision Maker